

Starting Formulation, FP-1083

October 5th, 2020

1/2

End-Use Homecare

Zn-containing floor polish with anti-slip effect

High gloss floor polish based on metal-bound, styrene acrylic copolymer with excellent mark and scuff resistance as well as anti-slip

Utilizing AQUACER 1075 and AQUACER 1076 with BYK-3450

Formulation

Pos.	Component	Supplier	Function	Weight [g]
1	Demineralized water		Solvent	27.2
2	Parmetol MBX (9%)	Vink Chemicals	Biocide	0.1
3	Citrofol B I (Tributylcitrate)	Jungbunzlauer	Permanent plasticizer	4.3
4	Diethylenglykolmonoethylether		Temporary plasticizer	4.8
5	Mor Glo 2007 E	Arkema	Film building resin	49.0
6	AQUACER 1075 (35%)	BYK	Surface protection	14.3
7	BYK-3450 (100%)	BYK	Levelling	0.3
				100.0

Instructions

- Mix water, Parmetol MBX and Citrofol BI at 1300 rpm with 30mm tooth blade (2 m/s) for 15 minutes
- Add all components in the listed order under stirring at 1 m/s
- Continue stirring at 1 m/s for additional 30 minutes after the last component was added

ACTAL[®], ADD-MAX[®], ADD-VANCE[®], ADJUST[®], ADVITROL[®], ANTI-TERRA[®], AQUACER[®], AQUAMAT[®], AQUATIX[®], BENTOLITE[®], BYK[®], BYK-DYNWET[®], BYK-SILCLEAN[®], BYKANOL[®], BYKETOL[®], BYKJET[®], BYKO2BLOCK[®], BYKOPLAST[®], BYKUMEN[®], CARBOBYK[®], CERACOL[®], CERAFAK[®], CERAFLOUR[®], CERAMAT[®], CERATIX[®], CLAYTONE[®], CLOISITE[®], DISPERBYK[®], DISPERPLAST[®], FULACOLOR[®], FULCAT[®], GARAMITE[®], GELWHITE[®], HORDAMER[®], LACTIMON[®], LAPONITE[®], MINERAL COLLOID[®], MINERPOL[®], NANOBYK[®], OPTIBENT[®], OPTIFLO[®], OPTIGEL[®], PAPERBYK[®], PERMONT[®], POLYAD[®], PRIEX[®], PURE THIX[®], RECYCLOBLEND[®], RECYCLOSORB[®], RECYCLOSTAB[®], RHEOBYK[®], RHEOCIN[®], RHEOTIX[®], SCONA[®], SILBYK[®], TIXOGEL[®], VISCOBYK[®] and Y 25[®] are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.

BYK-Chemie GmbH

Abelstrasse 45, 46483 Wesel, Germany
Tel +49 281 670-0, Fax +49 281 67035
info@byk.com, www.byk.com



ACTAL[®], ADD-MAX[®], ADD-VANCE[®], ADJUST[®], ADVITROL[®], ANTI-TERRA[®], AQUACER[®], AQUAMAT[®], AQUATIX[®], BENTOLITE[®], BYK[®], BYK-DYNWET[®], BYK-SILCLEAN[®], BYKANOL[®], BYKETOL[®], BYKJET[®], BYKO2BLOCK[®], BYKOPLAST[®], BYKUMEN[®], CARBOBYK[®], CERACOL[®], CERAFK[®], CERAFLOUR[®], CERAMAT[®], CERATIX[®], CLAYTONE[®], CLOISITE[®], DISPERBYK[®], DISPERPLAST[®], FULACOLOR[®], FULCAT[®], GARAMITE[®], GELWHITE[®], HORDAMER[®], LACTIMON[®], LAPONITE[®], MINERAL COLLOID[®], MINERPOL[®], NANOBYK[®], OPTIBENT[®], OPTIFLO[®], OPTIGEL[®], PAPERBYK[®], PERMONT[®], POLYAD[®], PRIEX[®], PURE THIX[®], RECYCLOBLEND[®], RECYCLOSORB[®], RECYCLOSTAB[®], RHEOBYK[®], RHEOCIN[®], RHEOTIX[®], SCONA[®], SILBYK[®], TIXOGEL[®], VISCOBYK[®] and Y 25[®] are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.

Characteristic Data/ Specification

Data	Unit	Value
Solid HDPE wax content	%	5.0
Solid resin content:	%	18.6
Ratio resin : wax	%	3.7 : 1.0

Further information / Application

Depending on the requirements, the polish can be used as as is as well as diluted with water.

ACTAL[®], ADD-MAX[®], ADD-VANCE[®], ADJUST[®], ADVITROL[®], ANTI-TERRA[®], AQUACER[®], AQUAMAT[®], AQUATIX[®], BENTOLITE[®], BYK[®], BYK[®]-DYNWET[®], BYK[®]-SILCLEAN[®], BYKANOL[®], BYKETOL[®], BYKJET[®], BYKO2BLOCK[®], BYKOPLAST[®], BYKUMEN[®], CARBOBYK[®], CERACOL[®], CERAFAK[®], CERAFLOUR[®], CERAMAT[®], CERATIX[®], CLAYTONE[®], CLOISITE[®], DISPERBYK[®], DISPERPLAST[®], FULACOLOR[®], FULCAT[®], GARAMITE[®], GELWHITE[®], HORDAMER[®], LACTIMON[®], LAPONITE[®], MINERAL COLLOID[®], MINERPOL[®], NANOBYK[®], OPTIBENT[®], OPTIFLO[®], OPTIGEL[®], PAPERBYK[®], PERMONT[®], POLYAD[®], PRIEX[®], PURE THIX[®], RECYCLOBLEND[®], RECYCLOSORB[®], RECYCLOSTAB[®], RHEOBYK[®], RHEOCIN[®], RHEOTIX[®], SCONA[®], SILBYK[®], TIXOGEL[®], VISCOBYK[®] and Y 25[®] are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.